

HD SPECIFICATIONS

(some equipment at additional cost):

Overall Dimensions:

- Length - 33' (stand alone)
- Length - 56' (with tractor attached)
- Width - 8'

Power Requirements:

100-Amps 3-Phase Cam-Lock

Engineering & Tape:

- 8 Sony HDC-1500 HD Camera Chains (capable)
- 1 Imagine Communicaions 512x512 Router
- 10 Record Decks (capable - format varies)
- 1 Playback Pro Quicktime File Based Video Player
- 1 Blackmagic H-264 Hyper Deck Mini Recorder
- 2 Sony PVM-2541A 25" OLED VC Monitor
- 1 Tape Operator Multi-View 32" Monitors
- 1 EVS XT2 6-Ch. HD Server (avail. upon request)

Production / Monitor Wall:

- 1 Sony MVS-6530 2-ME HD Switcher
- 3 Boland 32" HD Program / Preview Monitors
- 4 Boland 55" HD Source Monitors

Audio:

- 1 Yamaha DM-2000 Digital Audio Console
- 1 Imagine Communications Digital Routing System
- 2 Genelec 8341 SAM Near Field Audio Monitors
- 1 Waves SoundGrid Plug-In Server - with Waves Gold

Communications:

- 2 Riedel Artist Digital Intercom Matrix Frame
- 10 Riedel 1012 Master Intercom Stations
- 2 Riedel 1028 Master Intercom Stations
- 2 Riedel 1016 Desktop User Stations

- 6 Imagine Communications X-50 Multi-Processor
- 2 Barco Image Pro HD Scan Converters
- 4 Harris SD-HD Upconverters
- 1 Leader Waveform Vectorscope
- 6 Multi-Viewers
- 1 Image Video Tally Matrix
- 1 Ross Xpression Graphics (available upon request)

- 4 17" Boland P2 & P3 HD Monitors
- 2 Sony OLED HD LD Monitors w/Router Head
- 1 K-Array Audio Monitoring System

- 1 Sound Devices 970 64-Channel MADI Recorder
- 3 Boland 24" HD LCD Video Monitors
- 1 64 Channel Dugan AutoMixer - Waves Plug-In

- 8 Riedel C3 Intercom Beltpacks
- 4 Channels of IFB
- Wireless Intercom Systems (available upon request)




HD Production Trailer



Touring Video, Inc. 827 Hollywood Way, #424 Burbank, CA 91505

touring video

TV1 Dimensions



Height = 11'